SAFETY DATA SHEET

ĽORÉAL

1. Identification

Product identifier	L'ORÉAL HAND GEL ALCOHOL BASED
Other means of identification	
SDS number	30-51-0000431
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/I	Distributor information
US Address:	L'Oreal USA Products, Inc
	133 Terminal Avenue
	Clark, NJ 07066
	USA

Canadian Address:	L'Oreal Canada 4895 rue Hickmore Ville St-Laurent, H4T 1K5 Canada
Emergency Phone # :	1-800-535-5053 (International: 352-323-3500) In Canada - 1-613-996-6666 (Canutec (*666 Cellular))
For further Information:	1-732-499-2741
Poison Control # :	412-390-3326

2. Hazard(s) identification

Label elements

Physical hazards	Flammable liquids	Category 2
Health hazards	Serious eye damage/eye irritation	Category 2A
OSHA defined hazards	Not classified.	



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHANOL		64-17-5	65
GLYCERIN		56-81-5	5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical Skin contact attention if irritation develops and persists. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Ingestion Rinse mouth. Get medical attention if symptoms occur. Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and Most important blurred vision. Coughing. symptoms/effects, acute and delayed Indication of immediate Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an medical attention and special ambulance. Continue flushing during transport to hospital. Keep victim under observation. treatment needed Symptoms may be delayed. **General information** Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Specific hazards arising from Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source the chemical of ignition and flash back. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters Fire fighting In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do equipment/instructions so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Highly flammable liquid and vapor.

6. Accidental release measures

Specific methods

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
ETHANOL (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit	t Values		
Components	Туре	Value	
ETHANOL (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	
ETHANOL (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
logical limit values	No biological exposure limits noted t	for the ingredient(s).	
propriate engineering atrols	Explosion-proof general and local ex Ventilation rates should be matched exhaust ventilation, or other engines exposure limits. If exposure limits has acceptable level. Provide eyewash s	to conditions. If applicable, use ering controls to maintain airbor ave not been established, main	e process enclosures, local me levels below recommend
ividual protection measures	, such as personal protective equipr	nent	
Eye/face protection	Applicable for industrial settings only	/. Wear safety glasses with side	e shields (or goggles).
Skin protection			
Hand protection	Applicable for industrial settings only	/. Wear appropriate chemical re	esistant gloves.
Other	Applicable for industrial settings only		-
Respiratory protection	Applicable for industrial settings only concentrations below recommended (in countries where exposure limits h worn.	exposure limits (where application	able) or to an acceptable lev
	Wear appropriate thermal protective	clothing, when necessary.	
Thermal hazards			

9. Physical and	i chemicai	properti
A nnearance		

ppearance	
Physical state	Liquid.
Form	Fluid / Gel.
Color	Colorless.

Odor	Not available.
Odor threshold	Not available.
рН	5.7 - 6.3
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 95 °F (> 35 °C)
Flash point	68.0 °F (20.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.863 - 0.871 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition	No hazardous decomposition products are known

Hazardous decomposition No hazardous decomposition products are known. products

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
ETHANOL (CAS 64-17-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 20000 mg/kg
Inhalation		
Vapor		
LC50	Rat	124.7 mg/l, 4 h OECD 403
Oral		
LD50	Rat	10470 mg/kg OECD 401
GLYCERIN (CAS 56-81-5)		
Acute		
Dermal		
LD50	Rabbit	> 18700 mg/kg bw
Inhalation		
LC50	Rat	> 570 mg/L air, 1 h
Oral		
LD50	Rat	27200 mg/kg bw
Skin corrosion/irritation	Due to partial or complete la skin contact are expected.	ick of data the classification is not possible. No adverse effects due to
Irritation Corrosion - S	kin	
ETHANOL		OECD 404
		Result: Not Irritating Species: Rabbit
GLYCERIN		Result: Not Irritating
		Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritatior	۱.
Irritation Corrosion - E	ye	
ETHANOL		OECD 405
		Result: Irritating Species: Rabbit
GLYCERIN		Result: Not Irritating
		Species: Rabbit
Respiratory or skin sensitizatio	on	
Respiratory sensitization	Due to partial or complete la	ick of data the classification is not possible.
Skin sensitization	Due to partial or complete la	ick of data the classification is not possible.
Skin sensitization		
GLYCERIN		167 mg/m3 air OECD 413, Inhalation Result: NOAEL
		Species: Rat
		Test Duration: 90 d
ETHANOL		OECD 406 Result: Not Sensitizing
		Species: Guinea pig
GLYCERIN		Result: Not Sensitizing
		Species: Guinea pig
Germ cell mutagenicity	Due to partial or complete la	ick of data the classification is not possible.
Mutagenicity ETHANOL		Result: In vitro and in vivo tests did not show mutagenic
GLYCERIN		effects. Result: In vitro and in vivo tests did not show mutagenic effects.
Carcinogenicity	Not classifiable as to carcino classification is not possible	ogenicity to humans. Due to partial or complete lack of data the
IARC Monographs Overall	Evaluation of Carcinogenicit	
Not listed.		7
NUL IISIGU.		

Not regulated. US. National Toxicology Pro	d Substances (29 CFR 1910.10 ogram (NTP) Report on Carcino	
Not listed. Reproductive toxicity	Possible reproductive hazard.	
Developmental effects ETHANOL		> 20000 ppm OECD 414, No effects on development Result: NOAEL Species: Rat
GLYCERIN		1310 mg/kg bw/d, No effects on development Result: NOAEL Species: Rat
Reproductivity		
GLYCERIN		2000 mg/kg bw/d, No effects on fertility Result: NOAEL Species: Rat
ETHANOL		20700 mg/kg bw/d OECD 416, No effects on fertility Result: NOAEL Species: Rat
Specific target organ toxicity - single exposure	Due to partial or complete lack	of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
ETHANOL		1730 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat
GLYCERIN		8000 mg/kg bw/d, Oral Result: NOAEL Species: Rat Test Duration: 2 yr
Aspiration hazard	Due to partial or complete lack	of data the classification is not possible.
Further information	The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.	

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
ETHANOL (CAS 64-17	7-5)		
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	22200 mg/l, 96 h
Crustacea	EC50	Ceriodaphnia dubia	5012 mg/l, 48 h
Fish	LC50	Pimephales promelas	15300 mg/l, 96 h
Other	IC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h
Chronic			
Crustacea	NOEC	Daphnia magna	9.6 mg/l, 9 d
Fish	NOEC	Danio rerio	250 mg/l, 120 h OECD 212
GLYCERIN (CAS 56-8	31-5)		
Aquatic			
Acute			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
sistence and degrada	bility		

Biodegradability

Percent degradation (Aerobic biodegradation)

ETHANOL	84 % Result: Readily Biodegradable Test Duration: 20 d OECD 301 Result: Readily Biodegradable
Bioaccumulative potential	
Partition coefficient n-octan	ol / water (log Kow)
ETHANOL	-0.31
GLYCERIN	-1.76
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	This product is ignitable (D001) RCRA hazardous wastes when intended for disposal.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Materials associated with this document meet the criteria for US Department of Transportation exemption found at 49 CFR 173.150(g).

Packages containing limited quantities of retail products in volumes in accordance with the tables listed below maybe offered under the conditions of the exemption.

US Domestic Transportation

		>70% Ethyl Alcohol (v/v) (w/w)			
	Inner Packaging	Net Contents	Gross Weight	Marking	
Liquids	8 fl. oz.	192 fl. oz.	65 lbs.	None	
	≤70% Ethyl Alcohol (v/v) (w/w)				
	8 fl. oz.	192 fl. oz.	65 lbs.	None	
Liquids (glass)	16 fl. oz.	192 fl. oz.	65 lbs.	Contains Ethyl Alcohol	
Liquids (non-	16 fl. oz.	192 fl. oz.	65 lbs.	None	
glass)	1 gallon	192 fl. oz.	65 lbs.	Contains Ethyl Alcohol	
		General Conditions			
				nd cushioned within the	

outer package to prevent breakage, leakage and movement.

DOT

FINISHED GOODS

UN number	UN1170
UN proper shipping name	ETHANOL SOLUTION, Limited Quantity
Class	3
Packing group	II
Transport hazard class(es)	
Label(s)	Limited Quantity
Packaging exceptions	4b, 150
BULK	
UN number	UN1170
UN proper shipping name	ETHANOL SOLUTION
Class	3
Packing group	II
Transport hazard class(es)	
Label(s)	3
Special provisions	24, IB2, T4, TP1
Packaging non bulk	202

ΙΑΤΑ

FINISHED GOODS	
UN number	ID8000
UN proper shipping name	CONSUMER COMMODITY
Class	9
Packing group	Not applicable.
ERG Number	9L
BULK	
UN number	UN1170
UN proper shipping name	ETHANOL SOLUTION
Class	3
Packing group	II
ERG Number	3L
IMDG	
FINISHED GOODS	
UN number	UN1170
UN proper shipping name	ETHANOL SOLUTION, Limited Quantity
Class	3
Packing group	II
Environmental Hazards	
Marine pollutant	No.
Transport hazard class(es)	
Label(s)	Limited Quantity
EmS	F-E, S-D
LTD QTY Net Inner Capacity	1.00 L
BULK	
UN number	UN1170
UN proper shipping name	ETHANOL SOLUTION
Class	3
Packing group	II
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

ETHANOL (CAS 64-17-5)

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Not regulated.
Safe Drinking Water Act Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

-	-	-	-	-	-
ETHANOL (CAS 64-17-5)			Low priority		
GLYCERIN (CAS 56-81-5)			Other Flavoring Substances w	/ith OS⊦	IA PEL's

16. Other information, including date of preparation or last revision

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Issue date Revision date	03-18-2020 04-09-2020
Version #	02
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Product and Company Identification - L'Oreal